

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A server based method for automatically reporting vacant parking stalls comprising:
 - a) accessing a plurality of digital images, each image associated with a portion of a parking facility and each image covering a plurality of parking stalls;
 - b) performing computerized image processing on each image to automatically detect vacant parking stalls of said plurality of parking stalls;
 - c) indexing a map database with information regarding said vacant parking stalls of each image to determine physical locations of vacant parking stalls of said parking facility;[[and]]
 - d) reporting information regarding a portion of said vacant parking stalls of said parking facility[[.]]; and
 - e) a motorist conveying native language information to said server and wherein said information of d) is reported in a language-specific format based on said native language of said motorist.
2. (Original) A method as described in claim 1 wherein said information is driving directions and wherein d) is performed by wirelessly transmitting said driving directions to a motorist directing said motorist to a vacant parking stall.
3. (Original) A method as described in claim 1 wherein d) is performed by printing said information on a paper ticket given to a motorist at said parking facility.

4. (Currently Amended) A method as described in claim 1 further comprising ~~[[e)]]~~ f) a motorist conveying location information to said server and wherein said information of d) is reported in a location-specific format based on said location information of said motorist.
5. (Cancelled)
6. (Original) A method as described in claim 1 wherein said information of d) is wirelessly transmitted to a mobile computer system of a motorist and further comprising displaying said information on a display screen of said mobile computer system.
7. (Original) A method as described in claim 1 wherein said parking stall is located in a parking garage.
8. (Original) A method as described in claim 1 wherein said parking stall is on-street parking.
9. (Original) A method as described in claim 1 wherein d) is performed using an IEEE 802.11 wireless Ethernet protocol.
10. (Currently Amended) A computer system comprising a processor coupled to a bus and a memory coupled to a bus, said memory comprising instructions for executing a method for automatically reporting vacant parking stalls comprising:
 - a) accessing a plurality of digital images, each image associated with a portion of a parking facility and each image covering a plurality of parking stalls;
 - b) performing computerized image processing on each image to automatically detect vacant parking stalls of said plurality of parking stalls;

- c) indexing a map database with information regarding said vacant parking stalls of each image to determine physical locations of vacant parking stalls of said parking facility;[[and]]
- d) reporting information regarding a portion of said vacant parking stalls of said parking facility[[]]; and
- e) a motorist conveying native language information to said computer system and wherein said information of d) is reported in a language-specific format based on said native language of said motorist.

- 11. (Original) A system as described in claim 10 further comprising a plurality of video cameras for capturing said digital images.
- 12. (Original) A system as described in claim 10 further comprising a remote computer system accessible to a motorist and for displaying said information regarding a portion of said vacant parking stalls of said parking facility.
- 13. (Original) A system as described in claim 10 further comprising a printer for printing a ticket containing said information regarding said vacant parking stalls of said parking facility.
- 14. (Original) A system as described in claim 10 further comprising a parking type database for reporting a type of said vacant parking stalls of said parking facility.
- 15. (Original) A system as described in claim 14 wherein said type of said vacant parking stalls is compact.

16. (Original) A system as described in claim 14 wherein said type of said vacant parking stalls is handicap.
17. (Original) A system as described in claim 10 wherein said information regarding said vacant parking stalls of said parking facility is selected based on a known location of a motorist.
18. (Currently Amended) A computer system comprising a processor coupled to a bus and a memory coupled to a bus, said memory comprising instructions for executing a method for automatically reporting vacant parking stalls comprising:
 - a) accessing a plurality of digital images, each image associated with a portion of a parking facility and each image covering a plurality of parking stalls;
 - b) performing computerized image processing on each image to automatically detect vacant parking stalls of said plurality of parking stalls;
 - c) indexing a map database with information regarding said vacant parking stalls of each image to determine physical locations of vacant parking stalls of said parking facility;[[and]]
 - d) reporting information regarding a portion of said vacant parking stalls of said parking facility to a mobile computer system accessible to a motorist[[.]];
and
 - e) conveying native language information of said motorist to said computer system and wherein said information of d) is reported in a language-specific format based on said native language of said motorist.

19. (Original) A system as described in claim 18 wherein said information is driving directions and wherein d) is performed by wirelessly transmitting said driving directions to said mobile computer system directing said motorist to a vacant parking stall.
20. (Currently Amended) A system as described in claim 18 further comprising ~~[[e]]~~ f) conveying location information of said motorist to said server and wherein said information of d) is reported in a location-specific format based on said location information of said motorist.
21. (Cancelled)
22. (Original) A system as described in claim 18 wherein said information of d) is transmitted wirelessly to said mobile computer system of said motorist and further comprising displaying said information on a display screen of said mobile computer system.
23. (Currently Amended) A method for determining parking space availability comprising:
- a) capturing an image of a portion of a parking area;
 - b) transmitting said image to a processor;
 - c) performing computerized image processing on said image to automatically determine available parking spaces within said image;
 - d) indexing a map database with information regarding said available parking spaces within said image to determine locations of available parking spaces of said parking area; ~~[[and]]~~
 - e) outputting a location of an available parking space of said parking area to a motorist ~~[[.]]~~;

f) conveying native language information of said motorist; and

g) reporting said location of e) in a language-specific format based on said native language of said motorist.

24. (Previously Presented) A method as described in claim 23 wherein said output of e) is printed on a ticket available to said motorist.
25. (Original) A method as described in claim 23 further comprising displaying said location of an available parking space on a display screen of a computer system available to said motorist.
26. (Original) A method as described in claim 23 wherein said parking space is located in a parking garage.
27. (Original) A method as described in claim 23 further comprising determining a location of said motorist and reporting location specific parking availability based on said location of said motorist.
28. (Original) A method as described in claim 27 wherein a global positioning system (GPS) is used to determine said location of said motorist.
29. (Previously Presented) A method as described in claim 23 wherein step b) uses an IEEE 802.11 wireless Ethernet protocol to transmit said image.
30. (Original) A method as described in claim 23 further comprising transmitting said location of said available parking space to a wireless electronic device of said motorist, said electronic device comprising:
 - a) a processor coupled to a bus;

- b) a memory coupled to said bus;
- c) a communication circuit coupled to said bus; and
- d) a display device coupled to said bus.

31. (Original) A method as described in claim 30 further comprising displaying information about said location of said available parking space on said display device.

32-36. (Canceled)